

# Proxmox Backup



Proxmox Server Solutions GmbH

Proxmox® is a registered trademark of

**This tutorial enables you to activate the monitoring of Proxmox backups on your Esia.**

## Create a user

First, go to your web interface to create a user with read-only rights.

1. Go to the **“Access control”** page (you are already in the user section)
2. then on **“Add”**

Nom d'utilisateur ↓	Royaume ↓	Activé	Date d'...	Nom	Commentaire
root	pam	Oui	jamais		Superuser

- Provide a username and password.
- Leave the kingdom as the default.

### Ajouter: Utilisateur

Nom d'utilisateur:  Prénom:

Royaume:  Nom:

Mot de passe:  Courriel:

Confirmer le mot de passe:

Date d'expiration:


Activé:

Commentaire:

[? Aide](#)  [Ajouter](#)

## Create the token

1. Click on **API Token**
2. then on **add**



- Select the user you have created.
- Give a name to your **token**

### Ajouter: Jeton d'API

Utilisateur:  Date d'expiration:

Nom du jeton:  Activé:

Commentaire:

The token and its identifier are created.

⚠ Save the token so that it cannot be retrieved from proxmox ⚠

### Code du jeton

Identifiant du jeton:


Secret:

**Veillez enregistrer le code du jeton d'API, vous ne pourrez plus jamais le visualiser après**


## Give permissions

Once you have created the user and the token, you now need to give them permissions

1. Click on **Permissions**
2. and then **Add**



## User permissions



- Select the backup folder
- Select the user
- Give him the “**DatastoreAudit**”

**Ajouter: Permissions de l'utilisateur** ⊗

Chemin d'accès:


Utilisateur:

Rôle:

Propager:

Aide Ajouter

## API token permissions



- Select the backup folder
- Select the token
- Give it " rights**DatastoreAudit**"

Ajouter: Permissions du jeton d'API

Chemin d'accès: /datastore/store1

Jeton d'API: esia@pbs!esia-view

Rôle: DatastoreAudit

Propager:

Aide Ajouter

## ESIA link

- Add the node and its parameters

MODIFICATION DU NOEUD

proxmox-backup

MODIFICATION DU NOEUD PARAMÈTRES AVANCÉS SERVICES ALERTES PATTERN DE SERVICES

INFORMATIONS GÉNÉRALES

Nom du noeud: proxmox-backup

Type de noeud: Backup server

Groupe: Backup

Adresse IP: [redacted]

Connecté derrière la Unity: none

Description:

INFORMATIONS SNMP

Version SNMP: none

Modifier

- Select the proxmox driver - api

AJOUTER UN NOEUD

---

CONFIGURATION DU DRIVER

Driver	Durée de rétention (En jours)
Select an Option bareos - api veeam - db eurobackup - api appassure - snmp <b>proxmox - api</b> veeam365 - api	15

Annuler Test Sauver

- Fill in the form with the relevant data

MODIFICATION DU NOEUD

---

CONFIGURATION DU DRIVER

Driver	Durée de rétention (En jours)
proxmox - api	15
Url	Nom du token
<a href="#">https://wiki.esia-sa.com/</a>	esia-view
Utilisateur	Valeur du token
esia@pbs	*****

Annuler Test Sauver

From: <https://wiki.esia-sa.com/> - **Esia Wiki**

Permanent link: [https://wiki.esia-sa.com/en/advanced/proxmox\\_backup](https://wiki.esia-sa.com/en/advanced/proxmox_backup)

Last update: **2025/11/21 12:50**

