Compatibility with ESIA Unity

Here is a non-exhaustive list of items compatible with ESIA Unity.

All elements compatible with ESIA Unity are also compatible with ESIA Infinity.

See also:

- List of patterns
- List of services

Switches and Routers

| Items reported in general | | |
|-------------------------------------|---|--|
| Bandwidth | Type of traffic (broadcast, unicast, error) (IF-MIB standard) | |
| In addition for proprietary systems | | |
| HP Switch 19XX | CPU, memory, flash and environmental sensors (temperature, | |
| HP Switch 2500 series and above | power, etc) | |
| HP allied telesis switch | | |
| Cisco Switch | :::: | |
| Cisco router | :::: | |
| Brocade | :::: | |

Firewall

| Items reported in general | | |
|-------------------------------------|--|--|
| Bandwidth | Type of traffic | |
| In addition for proprietary systems | | |
| Pfsense | CPU, memory, storage space, etc. | |
| Fortinet | CPU, memory, storage space, number of sessions and VPN | |
| Zyxel USG | CFO, Memory, Storage space, number of sessions and VFN | |
| Stormshield | :::: | |
| Cyberoam | :::: | |
| Clavister | :::: | |
| Juniper | | |
| Watchguard | | |

OS

| For proprietary systems | |
|-------------------------|--|
| Windows | PING, CPU, RAM, Storage space, Bandwidth (standard HOST-RESSOURCE-MIB) |
| Linux | |
| VM-Ware | |

Last update: 2023/11/09 17:58

Physical servers

| For proprietary systems | | |
|-------------------------|---|--|
| Dell and Idrac | Disk, SMART, RAID, Power, Temperature, etc. | |
| HP IIo | | |
| Fujitsu | | |
| Others | | |
| IPMI-compatib | le server sensors | |
| Lenovo IMM | | |

NAS

| | For proprietary systems |
|----------|--|
| Synology | CPU, RAM, volume size, bandwidth, etc. |
| QNAP | :::: |
| Seagate | :::: |
| Netgear | :::: |

Printers

| For proprietary systems | | |
|-------------------------|---|--|
| HP | Consumable status if PRINTER-MIB compatible | |
| Brother | :::: | |
| Konica | :::: | |
| Canon | :::: | |
| Samsung | :::: | |
| Ricoh | | |
| Kyocera | | |

UPS compatible with UPS-MIB

| For proprietary systems | • |
|-------------------------|---|
| Riello | |
| Eaton | |
| APC | |

PDU

| For proprietary systems |
|-------------------------|
| Eaton |
| Raritan |

Storage

• EMC Data Domain

https://wiki.esia-sa.com/ Printed on 2025/12/23 07:04

Protocols

| • HTTP / HTTPS |
|---|
| • DNS |
| • IMAP |
| • POP3 |
| • SMTP |
| • SSH |
| • FTP |
| • TCP |
| Applications |
| • Website |
| Expiry of certificates |
| Google Page Rank |
| NTP synchronisation |
| Testing the presence of a process under Windows/Linux |
| • Exchange |
| DNS and IIS Windows statistics |

Last update: 2023/11/09 17:58

- · Windows log testing
- Security Centre Test
- PostgreSQL and MySQL database

Backup

- Bareos
- Veeam
- Eurobackup
- Quest Rapid Recovery (Appasure)

From:

https://wiki.esia-sa.com/ - Esia Wiki

Permanent link:

https://wiki.esia-sa.com/en/intro/compatibilite_esia_unity

Last update: 2023/11/09 17:58



https://wiki.esia-sa.com/ Printed on 2025/12/23 07:04