Evtsys

Installation

Après avoir téléchargé l'archive :

- dézipper « evtsys.exe » dans c:\windows\system32
- dans le CLI, entrez dans le répertoire system32

copy

```
cd windows/system32
```

- installer evtsys à l'aide de la commande suivante :

copy

```
evtsys -i -h x.x.x.x -f local0 -t server1 -l 0
```

  - **-i** : pour l'installation
  - **-h** : l'hôte
  - **-f** : envoie les messages dans la catégorie local0 par exemple
  - **-l** : le niveau de verbosité, indiquez 2 pour retourner que les erreurs

Démarrer le service

batch

```
net start evtsys
```

Documentation

```
Usage: evtsys -i|-u|-d [-h host[;host2;...]] [-f facility] [-p port]

[-t tag] [-s minutes] [-q bool] [-l level] [-n] [-a]
-i Install service
-u Uninstall service
-d Debug: run as console program
-a Use our IP address (or fqdn) in the syslog message
```

```
-h host Name of log host(s), separated by a ';'
-f facility Facility level of syslog message
-l level Minimum level to send to syslog.\n", stderr);
0=All/Verbose, 1=Critical, 2=Error, 3=Warning, 4=Info
-n (**Win9x/Server 2003 Only**) Include only those events specified
in the config file.
-t tag Include tag as program field in syslog message
-p port Port number of syslogd
-q bool Query the Dhcp server to obtain the syslog/port to log to
(0/1 = disable/enable)
-s minutes Optional interval between status messages. 0 = Disabled
Default port: 514
Default facility: daemon
Default status interval: 0
Host (-h) required if installing
```

From:
https://wiki.esia-sa.com/ - **Esia Wiki**

Permanent link:
https://wiki.esia-sa.com/syslog/syslog_evtsys

Last update: **2023/03/23 10:44**